REMINGTON
Sporting Ammunition



Remington

DU PONT

Shoot Remington "Hi-Speed" for Power Plus...

Before you go after varmints and predators, remember they're *experts* at getting away. You'll need *all* the "breaks." And here's where Remington Ammunition really makes a difference!

Shoot it and see what loaded-to-the-limit POWER is like! See what LONG-RANGE performance means. Discover BULL'S-EYE Remington accuracy and the exclusive world-famed "Kleanbore" priming that keeps your gun barrel bright and clean.

You'll want this extra-performance every time. So ask for Remington...for results!

Check local game laws before you go hunting.

222 REMINGTON "HI-SPEED"

- New long-range high-accuracy varmint load especially designed for Remington Model 722 varmint rifle.
- High muzzle velocity (3200 ft. per second) but mild report.
- Flat trajectory helps overcome slight errors in range estimation.
- Maximum striking energy...but reduced ricochet!

REMINGTON "HI-SPEED" 22

- Delivers long-range power—50 yards out it's going faster and packs more wallop than standard 22's develop at the muzzle!
- Fast—extra power drives every Remington "Hi-Speed" 22 from the muzzle at supersonic speed.
- Penetrates — Remington "Hi-Speed" solid point bullet drills through seven ⅞-inch pine boards and part of the eighth!

Other Remington varmint and pest-shooting favorites: 218 Bee, 219 Zipper, 22 Hornet, 22 Savage, 220 Swift, 257 Roberts, 250 Savage, 30-06 Springfield, and Remington "Express" shotgun shell.

"If It's Remington—It's Right!"

Remington DU PONT

"Kleanbore," "Express" are Reg. U.S. Pat. Off., and "Hi-Speed" is a trade-mark of Remington Arms Company, Inc., Bridgeport 2, Conn.

SINCE 1816 — SHOOTERS HAVE KNOWN . . . "IF IT'S REMINGTON — IT'S RIGHT"

According to the inscription on the Daniel Boone tree, the great frontiersman may have been a little weak on spelling but he was strong on common sense. As a wilderness hunter he knew that a good gun and dependable ammunition were mighty important things. Perhaps Dan's buckskin shirt was a little dirty, and his moccasins a little worn, but you can bet that his rifle was clean and his powder dry.

Shooters and hunters have always known what they wanted and so did Eliphalet Remington way back in 1816. Eliphalet was a boy and he wanted a rifle. Money was scarce and guns were expensive so Eliphalet decided to make his own rifle at his father's forge. It turned out to be such a sturdy, accurate gun that his neighbors in the Mohawk Valley of New York State asked him to make rifles for them. In this typically American way, Remington Arms came into being.

So, as Eliphalet met the exacting requirements of his neighbors, Remington Arms began to meet the demands of the hunters and marksmen in a young and growing nation. As people left the cool trails of the river woods and the familiar fields of their Eastern farms to push West, the life of a man was again built around the rifle, the axe and the plow. Remington firearms and ammunition rolled in covered wagons across the great plains and along the Oregon Trail, leading on and beyond where the snowy front wall of the Rockies lifts out of the old buffalo country. Here, where hunting was a serious job and Americans depended almost entirely on game for food and clothing, the accuracy and dependability of Remington ammunition began to be recognized.

From the lonely hunting camps of the West to the rice marshes of Louisiana, shooters placed their trust in a name to be proud of . . . "Remington." We at Remington respect and value this confidence of the shooters we serve. Since 1816 Remington has protected this confidence by providing the technical skill and far-seeing research that has meant ever-improving ammunition and sporting firearms for American sportsmen.

In this catalog you will see sporting ammunition that has been built and field-tested by men who know what fine ammunition is and what it should do. When a shooter slips a Remington shotgun shell or cartridge into his gun, we want to be sure that it will do the job right. We are proud of our statement "If It's Remington—It's Right."

SEE YOUR REMINGTON AMMUNITION DEALER FOR PRICES

REMINGTON RIM FIRE CARTRIDGES with KLEANBORE priming

For surefire reliability and outstanding performance there's nothing like Remington rim fire cartridges that are designed for power and accuracy. The original non-corrosive Kleanbore priming in every Remington rim fire cartridge keeps the bore of your rifle or pistol barrel bright and clean.

Be sure you select the right 22 cartridge for the right job. Remington Hi-Speed 22's — for longer range shooting of small game and pests. These cartridges have real knock-down and knock-out power.

Remington Standard Velocity 22's — Where fine accuracy is necessary for medium range hunting, informal target shooting or plinking.

The new Remington Match 22 cartridges have been proved, by actual test, to be the most accurate 22 rifle match ammunition available today! Behind the outstanding performance of these new 22's is a bullet design that gives remarkable accuracy *plus* exceptional wind stability . . . helps deliver a uniform center of impact over a long series of shots. And the special alloy bullet reduces leading . . . helps produce small groups.

Remington 22 Hi-Speed with Kleanbore priming.

Remington 22 standard velocity with Kleanbore priming.



KLEANBORE PRIMING

Over 30,000 rounds with Kleanbore priming were fired through barrel "A" above; 30,000 with corrosive priming through barrel "B." Note the difference.

SHOCK POWER

Look what happens to a cake of laundry soap when blasted by a Remington Hi-Speed 22 hollow point bullet. Bullet expands . . . delivers the wallop you need for hunting pests.

ACCURACY

Accuracy at longer ranges is yours with Remington 22's. Easier to stalk and get pests and small game. Above: Actual laboratory photo of a Remington 22 bullet hitting target bull's-eye.

Remington Match 22 cartridges for target shooting.

REMINGTON "Hi-Speed" 22 LONG RIFLE



22 SHORT "Hi-Speed"

22 LONG "Hi-Speed"

22 LONG RIFLE "Hi-Speed"

22 W.R.F. (REM. SPECIAL)

22 SHORT

22 SHORT GALLERY "SPATTER-LESS"

22 LONG RIFLE "KLEANBORE"

22 REMINGTON AUTOLOADING

22 WINCHESTER AUTOMATIC

25 STEVENS

32 SHORT

32 LONG

22 LONG RIFLE REMINGTON MATCH

REMINGTON RIM FIRE CARTRIDGES

"Hi-Speed"

22 SHORT Adapted to single shot, repeating and autoloading rifles, revolvers and single shot pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
1022	29 grs. Lead	58 lbs.
1122	27 grs. Lead, Hollow Point	58 lbs.

Packed 50 in a box. 10,000 in a case.

22 LONG Adapted to single shot, repeating rifles, revolvers and single shot pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
1322	29 grs. Lead	64 lbs.

Packed 50 in a box. 10,000 in a case.

22 LONG RIFLE Adapted to single shot, repeating and autoloading rifles, revolvers; single shot and automatic pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
1522	40 grs. Lead	82 lbs.
1622	36 grs. Lead, Hollow Point	77 lbs.

Packed 50 in a box. 10,000 in a case.

22 W.R.F. (REM. SPECIAL) Adapted to Remington Models 12CS, 121S and Winchester Model 1890 repeating rifles; Remington, Winchester and Stevens single shot rifles; also Colt revolvers.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
1822	45 grs. Lead	50 lbs.

Packed 50 in a box. 5,000 in a case.

Standard Velocity

22 SHORT Adapted to single shot, repeating and autoloading rifles, revolvers and single shot pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
5522	29 grs. Lead	58 lbs.

Packed 50 in a box. 10,000 in a case.

22 SHORT GALLERY "SPATTER-LESS" Bullet disintegrates on impact, no ricochet. Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
5722	29 grs. Lead	58 lbs.
5822	29 grs. Lead	62 lbs.
6722	15 grs. Special Composition Bullet	40 lbs.

Nos. 5722 & 6722—Packed 250 in a box. 10,000 in a case.

22 LONG RIFLE "KLEANBORE" Adapted to single shot, repeating and autoloading rifles, revolvers, single shot and automatic pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
6122	40 grs. Lead	83 lbs.

Packed 50 in a box. 10,000 in a case.

22 REMINGTON AUTOLOADING Adapted to Remington Model 16 autoloading rifle.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
7422	45 grs. Lead	48 lbs.

Packed 50 in a box. 5,000 in a case.

22 WINCHESTER AUTOMATIC Adapted to Winchester Model 03 automatic rifle.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
7522	45 grs. Lead	49 lbs.

Packed 50 in a box. 5,000 in a case.

25 STEVENS Adapted to Remington, Stevens and Winchester single shot rifles.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
8125	67 grs. Lead	31 lbs.

Packed 50 in a box. 2,000 in a case.

32 SHORT Adapted to Remington and Winchester single shot rifles; Marlin Model 1892 Repeating Rifle; also revolvers and single shot pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
8432	80 grs. Lead	79 lbs.

Packed 50 in a box. 5,000 in a case.

32 LONG Adapted to Remington and Winchester single shot rifles; Marlin Model 1892 Repeating Rifle; also revolvers and single shot pistols.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
8532	90 grs. Lead	91 lbs.

Packed 50 in a box. 5,000 in a case.

Match Cartridges

22 LONG RIFLE REMINGTON MATCH A super-accurate cartridge designed especially for match rifle target shooting. Bullet has wide, uniform bearing surface that fits rifling perfectly . . . helps deliver a uniform center of impact over a long series of shots. Special alloy of which bullet is made reduces leading . . . helps produce small groups.

INDEX NO.	BULLET WEIGHT	AV. WT. PER CASE
6622	40 grs. Lead	80 lbs.

Packed 50 in a box. 10,000 in a case.

Shot Cartridges

For use in all rifles, pistols (except automatics) and revolvers chambered for this cartridge.

INDEX NO.		AV. WT. PER CASE
9322	22 Long Rifle, Hi-Speed	67 lbs.

Packed 50 in a box. 10,000 in a case.

REMINGTON CENTER FIRE RIFLE CARTRIDGES

One single cartridge often determines whether or not a carefully planned and expensive hunting trip is a success. When that big moment comes with the game in range and the hunter squeezes the trigger of his rifle the bullet must reach across long distances like a bolt from the blue with deadly accuracy and smashing power. That's why Remington cartridges for big game hunters are produced with great care to precise specifications.

There is a Remington center fire cartridge having the right combination of bullet weight and type for every kind of game. Actual experiences of hunters in the high Rockies, the north woods and African jungles have proved their outstanding performance. Hunters know that whatever make or type of rifle they shoot, Remington supplies the proper load for best results. And Remington ammunition is sold everywhere.

NEW POINTED SOFT POINT BULLET

now available in

FAMOUS REMINGTON "CORE-LOKT" DESIGN

When the need for power and accuracy is greatest, hunters can rely on Remington's new Pointed Soft Point "Core-Lokt" bullets for the flat trajectory and maximum remaining velocity so necessary for clean kills. Like Remington's Soft Point "Core-Lokt" ammunition, here is a bullet which combines terrific striking energy, amazing accuracy and the game-stopping impact of perfect mushrooming.

These new Remington cartridges are available in the following popular calibers: 30-06 Springfield, 300 H & H Magnum, 30-40 Krag, 300 Savage, 270 Winchester, 257 Roberts and 250 Savage. The cartridges are readily identified by the sharp bullet profile and directional nose cuts in the jacket.

To make every shot count on your next big game trip, ask for powerful Remington ammunition with "Core-Lokt" bullets.

BULLETS WITH THE FAMOUS REMINGTON "CORE-LOKT" CONSTRUCTION

In all Remington "Core-Lokt" bullets, jacket and core are locked together by heavy jacket mid-section. The bullet stays in one piece . . . for greater striking power.

SOFT POINT "CORE-LOKT"
Special notching of jacket provides absolutely uniform expansion.

POINTED SOFT POINT "CORE-LOKT"
Identified by sharp bullet profile and directional nose cuts in jacket.

MUSHROOM "CORE-LOKT"
Special tip assures deep penetration, perfect mushrooming.

"CORE-LOKT" BULLETS

Open up at all hunting ranges

50 FEET. Lion. .30-06 180 gr. Core-Lokt bullet mushroomed about ½". **80 YDS.** Deer. .35 Rem. 200 gr. Core-Lokt bullet mushroomed perfectly. **200 YDS.** Deer. .30-30 170 gr. Core-Lokt bullet opened up like this. **390 PACES.** Elk. A .30-06 180 gr. Core-Lokt mushroomed like this.

"Core-Lokt" bullets combine the high degree of accuracy necessary to score vital hits at long range with the power to crash through toughest hide and bone. On impact their notched jackets insure maximum effective expansion, providing great shocking and stopping power. These remarkable bullets stay in one piece, delivering the power that means less trailing, fewer lost trophies.

"KLEANBORE" PRIMING

35 REMINGTON SOFT POINT "CORE-LOKT"



REMINGTON CENTER FIRE CARTRIDGES WITH "CORE-LOKT" BULLETS

For complete information on all Center Fire Cartridges, see the following pages.

INDEX NO.	ALL PACKED 20 TO BOX	BULLET WEIGHT (Grains)
	22 Savage	
0422	Hi-Speed, Soft Point, Core-Lokt	65
	25 Remington	
4725	Express, Soft Point, Core-Lokt	117
	257 Roberts	
5425	Hi-Speed, Pointed Soft Point, Core-Lokt	100
5325	Express, Soft Point, Core-Lokt	117
	25-35 Winchester	
6325	Express, Soft Point, Core-Lokt	117
	250 Savage	
7225	Hi-Speed, Soft Point, Core-Lokt	100
7125	Hi-Speed, Pointed Soft Point, Core-Lokt	100
	270 Winchester	
8127	Hi-Speed, Soft Point, Core-Lokt	150
8327	Hi-Speed, Pointed Soft Point, Core-Lokt	130
	30 Remington	
2430	Express, Mushroom, Core-Lokt	170
2630	Express, Soft Point, Core-Lokt	170
	30-30 Winchester	
1330	Express, Mushroom, Core-Lokt	170
1430	Express, Soft Point, Core-Lokt	170
1530	Express, Soft Point, Core-Lokt	150
	30-40 Krag	
4330	Express, Mushroom, Core-Lokt	220
4630	Express, Soft Point, Core-Lokt	220
4930	Hi-Speed, Soft Point, Core-Lokt	180
5030	Hi-Speed, Pointed Soft Point, Core-Lokt	180

INDEX NO.	ALL PACKED 20 TO BOX	BULLET WEIGHT (Grains)
	30-06 Springfield	
5630	Express, Mushroom, Core-Lokt	220
5730	Express, Soft Point, Core-Lokt	220
6430	Hi-Speed, Soft Point, Core-Lokt	180
6530	Hi-Speed, Pointed Soft Point, Core-Lokt	180
	300 Savage	
7030	Express, Soft Point, Core-Lokt	180
7230	Hi-Speed, Pointed Soft Point, Core-Lokt	180
7330	Hi-Speed, Soft Point, Core-Lokt	150
	300 Holland & Holland Magnum	
7630	Express, Mushroom, Core-Lokt	220
7830	Hi-Speed, Pointed Soft Point, Core-Lokt	180
	303 Savage	
8030	Express, Mushroom, Core-Lokt	180
8130	Express, Soft Point, Core-Lokt	180
	8 mm. (7.9 mm.) Mauser	
8908	Hi-Speed, Soft Point, Core-Lokt	170
	32 Remington	
5532	Express, Mushroom, Core-Lokt	170
5632	Express, Soft Point, Core-Lokt	170
	32 Winchester Special	
5032	Express, Mushroom Core-Lokt	170
5132	Express, Soft Point, Core-Lokt	170
	348 Winchester	
6534	Express, Mushroom, Core-Lokt	200
6634	Express, Soft Point, Core-Lokt	200
	35 Remington	
8235	Express, Mushroom, Core-Lokt	200
8335	Express, Soft Point, Core-Lokt	200



REMINGTON
CENTER FIRE RIFLE CARTRIDGES

218 BEE Adapted to Winchester Models 65, 43

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0218	46 grs.	Hi-Speed Mushroom	42 lbs.

Packed 50 in a box, 2,000 in a case.

219 ZIPPER Adapted to Winchester 64.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0219	56 grs.	Hi-Speed Mushroom	39 lbs.

Packed 20 in a box. 1,000 in a case.

22 HORNET Adapted to Winchester 54, 70, Savage 19H, 23D, 219, 322.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0222	45 grs.	Hi-Speed Soft Point	34 lbs.
0322	45 grs.	Hi-Speed Mushroom	34 lbs.

Packed 50 in a box. 2,000 in a case.

22 SAVAGE Adapted to Savage 99, 1920.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0422	65 grs.	Hi-Speed Soft Point Core-Lokt	41 lbs.

Packed 20 in a box. 1,000 in a case.

220 SWIFT Adapted to Winchester 54, 70.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0822	48 grs.	Hi-Speed Soft Point	46 lbs.

Packed 20 in a box. 1,000 in a case.

222 REMINGTON Adapted to Remington 722.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0722	50 grs.	Hi-Speed Soft Point	28 lbs.
0922	50 grs.	Hi-Speed Metal Case	29 lbs.

Packed 20 in a box. 1,000 in a case.

25-20 WINCHESTER Adapted to Remington 25, Winchester 92, 53, 65, Savage 23B, 219, Marlin 1894, 27.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1325	86 grs.	Lead	52 lbs.
1525	86 grs.	Soft Point	50 lbs.
1625	60 grs.	Hi-Speed Mushroom	45 lbs.

Packed 50 in a box. 2,000 in a case.

25 REMINGTON Adapted to Remington 8, 81, 14, 141, 30.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4725	117 grs.	Express Soft Point Core-Lokt	48 lbs.

Packed 20 in a box. 1,000 in a case.

257 ROBERTS Adapted to Remington 30, 720, 722, Winchester 54, 70.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5425	100 grs.	Hi-Speed Pointed Soft Point Core-Lokt	57 lbs.
5325	117 grs.	Express Soft Point Core-Lokt	53 lbs.

Packed 20 in a box. 1,000 in a case.

25-35 WINCHESTER Adapted to Winchester 94, 55, 64, Savage 99.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6125	117 grs.	Metal Case	48 lbs.
6325	117 grs.	Express Soft Point Core-Lokt	48 lbs.

Packed 20 in a box. 1,000 in a case.

250 SAVAGE Adapted to Savage 1920, 40, 45, 99, Winchester 54, 70.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7225	100 grs.	Hi-Speed Soft Point Core-Lokt	50 lbs.
7125	100 grs.	Hi-Speed Pointed Soft Point Core-Lokt	50 lbs.
7425	87 grs.	Hi-Speed Soft Point	48 lbs.

Packed 20 in a box. 1,000 in a case.



REMINGTON

CENTER FIRE RIFLE CARTRIDGES

270 WINCHESTER Adapted to Remington 720, 721, Winchester 54, 70.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8027	100 grs.	Hi-Speed, Pointed Soft Point	61 lbs.
8127	150 grs.	Hi-Speed Soft Point Core-Lokt	67 lbs.
8327	130 grs.	Hi-Speed Pointed Soft Point Core-Lokt	65 lbs.
8427	130 grs.	Hi-Speed Bronze Point	67 lbs.

Packed 20 in a box. 1,000 in a case.

7 mm. MAUSER Adapted to Remington 30, Winchester 54, 70, Mauser military and sporting rifles, Sauer-Mauser.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8707	175 grs.	Express Soft Point	66 lbs.

Packed 20 in a box. 1,000 in a case.

30-30 WINCHESTER Adapted to Winchester 54, 55, 64, 94, Marlin 1893, 36, Savage 1920, 40, 45, 99, 219, 325.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1230	160 grs.	Express Metal Case	55 lbs.
1330	170 grs.	Express Mushroom Core-Lokt	57 lbs.
1430	170 grs.	Express Soft Point Core-Lokt	55 lbs.
1530	150 grs.	Express Soft Point Core-Lokt	54 lbs.

Packed 20 in a box. 1,000 in a case.

30 REMINGTON Adapted to Remington 8, 81, 14, 141, 30.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
2330	160 grs.	Express Metal Case	52 lbs.
2430	170 grs.	Express Mushroom Core-Lokt	57 lbs.
2630	170 grs.	Express Soft Point Core-Lokt	56 lbs.

Packed 20 in a box. 1,000 in a case.

30-40 KRAG Adapted to Krag (Springfield 1898), Winchester 95, Remington and Winchester single shot, military and sporting rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4330	220 grs.	Express Mushroom Core-Lokt	77 lbs.
4630	220 grs.	Express Soft Point Core-Lokt	73 lbs.
4930	180 grs.	Hi-Speed Soft Point Core-Lokt	67 lbs.
5030	180 grs.	Hi-Speed Pointed Soft Point Core-Lokt	67 lbs.

Packed 20 in a box. 1,000 in a case.

30-06 SPRINGFIELD Adapted to Remington 30, 720, 721, Model 1917 service rifle, Model 1903 Springfield for 1906 cartridges, Winchester 54, 70, Savage 40, 45, Mauser sporting rifles, Sauer-Mauser, Mannlicher-Schoenauer.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5930	150 grs.	Pointed Metal Case	69 lbs.
5630	220 grs.	Express Mushroom Core-Lokt	78 lbs.
5730	220 grs.	Express Soft Point Core-Lokt	78 lbs.
6030	150 grs.	Hi-Speed Bronze Point	66 lbs.
6130	180 grs.	Hi-Speed Bronze Point	73 lbs.
6630	110 grs.	Hi-Speed Pointed Soft Point	64 lbs.
6430	180 grs.	Hi-Speed Soft Point Core-Lokt	73 lbs.
6530	180 grs.	Hi-Speed Pointed Soft Point Core-Lokt	73 lbs.
6730	180 grs.	Palma Match Metal Cased, Taper Heel	74 lbs.

Packed 20 in a box. 1,000 in a case.

300 SAVAGE Adapted to Savage 1920, 40, 45, 99, Remington 81, 722.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7030	180 grs.	Express Soft Point Core-Lokt	63 lbs.
7230	180 grs.	Hi-Speed Pointed Soft Point Core-Lokt	63 lbs.
7330	150 grs.	Hi-Speed Soft Point Core-Lokt	59 lbs.
7430	150 grs.	Hi-Speed Bronze Point	58 lbs.

Packed 20 in a box. 1,000 in a case.

300 HOLLAND AND HOLLAND MAGNUM Adapted to Remington 721, Winchester 70 and other rifles especially chambered and proof tested therefor.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7630	220 grs.	Express Mushroom Core-Lokt	89 lbs.
7730	180 grs.	Match Metal Case, Taper Heel	92 lbs.
7830	180 grs.	Hi-Speed Pointed Soft Point Core-Lokt	84 lbs.

Packed 20 in a box. 1,000 in a case.

GRIZZLY BEAR–ALASKAN BROWN BEAR–MOOSE–CARIBOU–WALRUS

For big and tough game like Grizzly Bear, Alaskan Brown Bear, Moose and Walrus—experienced big game hunters prefer the heavy, hard driving types of Remington cartridges with "Core-Lokt" bullets that assure maximum shocking and stopping power. In this "Core-Lokt" group are such cartridges as: 300 Holland & Holland Magnum 220 grain Mushroom or 180 grain Pointed Soft Point, 30-06 Springfield 220 grain Soft Point or Mushroom and 180 grain Pointed Soft Point, 35 Remington 200 grain Soft Point or Mushroom, 348 Winchester 200 grain Soft Point or Mushroom, 270 Winchester 150 grain Soft Point, 300 Savage 180 grain Soft Point or Pointed Soft Point, 30-40 Krag 220 grain Soft Point or Mushroom.

REMINGTON IS RIGHT FOR ANY ANY MAKE

DEER–ELK–MOUNTAIN LION BLACK BEAR–SEAL–JAGUAR

Many of the cartridges listed in the upper panels are also effective on this group which includes Deer, Mountain Lion, Black Bear and Jaguar. However, for this class of game most hunters prefer the following cartridges: 270 Winchester 150 grain Soft Point and 130 grain Pointed Soft Point or Bronze Point, 30-30 Winchester 170 grain Soft Point or Mushroom, 32 Remington 170 grain Soft Point or Mushroom, 30 Remington 170 grain Soft Point or Mushroom, 30-06 Springfield 180 grain Soft Point or Pointed Soft Point and 150 grain or 180 grain Bronze Point, 300 Savage 150 grain Soft Point or Bronze Point and 180 grain Soft Point or Pointed Soft Point, 303 Savage 180 grain Soft Point or Mushroom, and 32 Winchester Special 170 grain Soft Point or Mushroom. All the above have "Core-Lokt" bullets except 30-06 Springfield, 300 Savage and 270 Winchester Bronze Point.

MOUNTAIN SHEEP–ANTELOPE MOUNTAIN GOATS

For wary game such as Mountain Sheep, Mountain Goats and Antelope that are hunted in country requiring careful stalking and long shots, hunters turn to such cartridges as: 300 Savage 150 grain Soft Point or Bronze Point, 270 Winchester 130 grain Pointed Soft Point or Bronze Point and 150 grain Soft Point, 30-06 Springfield 150 and 180 grain Bronze Point or Pointed Soft Point, 30-40 Krag 180 grain Pointed Soft Point, 300 Holland & Holland Magnum 220 grain, Mushroom or 180 grain Pointed Soft Point, 257 Roberts 117 grain Soft Point or 100 grain Pointed Soft Point, 250 Savage 100 grain Soft Point or Pointed Soft Point. All the above have "Core-Lokt" bullets except 30-06 Springfield, 300 Savage and 270 Winchester Bronze Point.

AMMUNITION KIND OF GAME OF GUN



LYNX–BOBCAT–WOODCHUCK COYOTE–WOLF–FOX–BADGER

For smaller game and pests such as Lynx, Bobcat, Woodchuck, Wolf, Coyotes and Badger, there is a large selection available. Here are some of the more popular cartridges: 222 Remington 50 grain Soft Point, 22 Hornet 45 grain Soft Point or Mushroom, 218 Bee 46 grain Mushroom, 219 Zipper 56 grain Mushroom, 22 Savage 70 grain Soft Point "Core-Lokt," 25-20 Winchester 60 grain Mushroom and 86 grain Soft Point or Lead, 25 Remington 117 grain Soft Point "Core-Lokt," 250 Savage 100 grain Soft Point or Pointed Soft Point "Core-Lokt" and 87 grain Soft Point, 257 Roberts 100 grain Pointed Soft Point "Core-Lokt" or 117 grain Soft Point "Core-Lokt," 32-20 Winchester 80 grain Hi-Speed Mushroom, and 30-06 Springfield 110 grain Hi-Speed Pointed Soft Point.



REMINGTON CENTER FIRE RIFLE CARTRIDGES

303 SAVAGE Adapted to Savage 99.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8030	180 grs.	Express Mushroom Core-Lokt	59 lbs.
8130	180 grs.	Express Soft Point Core-Lokt	60 lbs.

Packed 20 in a box. 1,000 in a case.

303 BRITISH Adapted to Remington, Lee-Enfield, Winchester 95 and other rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8330	215 grs.	Express Soft Point	69 lbs.

Packed 20 in a box. 1,000 in a case.

8 mm. (7.9 mm.) MAUSER Adapted to Mauser 1898 military and sporting rifles. (European designation 8 x 57 mm. rimless.)
WARNING—Do not use in rifles chambered for 30-06 Springfield cartridges.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8908	170 grs.	Hi-Speed Soft Point Core-Lokt	66 lbs.

Packed 20 in a box. 1,000 in a case.

8 mm. LEBEL Adapted to French 8 mm. Lebel rifle and Model 1907-15.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8808	170 grs.	Hi-Speed Soft Point	72 lbs.

Packed 20 in a box. 1,000 in a case.

32-20 WINCHESTER Adapted to Remington 25, Winchester 92, 53, 65, Savage 23C, 219, Marlin 27, 1894, Remington and Winchester single shot rifles, Colt and Smith & Wesson revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4232	100 grs.	Lead	55 lbs.
4632	100 grs.	Soft Point	55 lbs.

Packed 50 in a box. 2,000 in a case.

32-20 WINCHESTER Adapted to Remington 25, Winchester 92, 53, 65, Savage 23C, 219, Marlin 27, Remington and Winchester single shot rifles. WARNING — NOT for use in revolvers or Winchester Model 73 rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4732	80 grs.	Hi-Speed Mushroom	51 lbs.

Packed 50 in a box. 2,000 in a case.

32 WINCHESTER SPECIAL Adapted to Winchester 55, 64, 94, Marlin 1893, 36.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5032	170 grs.	Express Mushroom Core-Lokt	57 lbs.
5132	170 grs.	Express Soft Point Core-Lokt	57 lbs.

Packed 20 in a box. 1,000 in a case.

32 WINCHESTER SELF-LOADING Adapted to Winchester 05 self-loading rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5332	165 grs.	Soft Point	78 lbs.

Packed 50 in a box. 2,000 in a case.

32 REMINGTON Adapted to Remington 8, 81, 14, 141, 30.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5532	170 grs.	Express Mushroom Core-Lokt	56 lbs.
5632	170 grs.	Express Soft Point Core-Lokt	57 lbs.

Packed 20 in a box. 1,000 in a case.

32-40 WINCHESTER Adapted to Winchester 94, Marlin 93, Remington, Stevens and Winchester single shot rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5832	165 grs.	Soft Point	54 lbs.

Packed 20 in a box. 1,000 in a case.

33 WINCHESTER Adapted to Winchester 86.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6133	200 grs.	Soft Point	72 lbs.

Packed 20 in a box. 1,000 in a case.

Remington Center Fire Rifle Cartridges

348 WINCHESTER Adapted to Winchester 71.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6434	150 grs.	Hi-Speed Soft Point	70 lbs.
6534	200 grs.	Express Mushroom Core-Lokt	77 lbs.
6634	200 grs.	Express Soft Point Core-Lokt	77 lbs.

Packed 20 in a box. 1,000 in a case.

35 WINCHESTER SELF-LOADING Adapted to Winchester 05 self-loading rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7035	180 grs.	Soft Point	85 lbs.

Packed 50 in a box. 2,000 in a case.

351 WINCHESTER SELF-LOADING Adapted to Winchester 07 self-loading rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7335	180 grs.	Metal Case	89 lbs.
7435	180 grs.	Soft Point	88 lbs.

Packed 50 in a box. 2,000 in a case.

35 REMINGTON Adapted to Remington 8, 81, 14, 141, 30, Winchester 70. WARNING—Do not use in rifles chambered for 30-06 Springfield cartridges.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8135	200 grs.	Metal Case	63 lbs.
8235	200 grs.	Express Mushroom Core-Lokt	63 lbs.
8335	200 grs.	Express Soft Point Core-Lokt	63 lbs.

Packed 20 in a box. 1,000 in a case.

38-40 WINCHESTER Adapted to Remington 14½, Remington single shot, Winchester 92 and single shot rifle, Marlin 1894, Colt revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8138	180 grs.	Soft Point	85 lbs.

Packed 50 in a box. 2,000 in a case.

38-55 WINCHESTER Adapted to Remington, Ballard, Winchester single shot rifles, Winchester 94, Marlin 93, Savage, Remington-Lee repeating rifles.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8438	255 grs.	Soft Point	66 lbs.

Packed 20 in a box. 1,000 in a case.

401 WINCHESTER SELF-LOADING Adapted to Winchester 1910 Self-Loading rifle.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
2140	200 grs.	Soft Point	58 lbs.

Packed 20 in a box. 1,000 in a case.

44-40 WINCHESTER Adapted to Remington 14½, Remington single shot, Winchester 53, 92, Winchester single shot, Marlin 1894, Colt revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5744	200 grs.	Soft Point	90 lbs.

Packed 50 in a box. 2,000 in a case.

45-70 GOVERNMENT Adapted to Remington, Springfield, Winchester single shot rifles, Winchester 86, Marlin 1895.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8245	405 grs.	Soft Point	98 lbs.

Packed 20 in a box. 1,000 in a case.

CONVENTIONAL TYPES OF CENTER FIRE RIFLE BULLETS

MUSHROOM

. . . bullet has lead core and gilding metal jacket with hollow point.

REGULAR SOFT POINT

. . . bullet has lead core which is exposed through gilding metal jacket at the nose.

BRONZE POINT EXPANDING

. . . bullet has lead core and gilding metal jacket with special locked-in bronze point.

METAL CASE

. . . bullet has lead core enclosed in gilding metal jacket but no exposure at the point.

POINTED, TAPER HEEL

. . . bullet has lead core encased in gilding metal jacket. For target shooting. 30'06 Springfield and 300 H&H Magnum only.

REMINGTON PISTOL AND REVOLVER CARTRIDGES

Every law enforcement officer whose duties call for protection of lives and property must depend upon unfailing ammunition performance in the crucial moments of emergency. Every match target shooter in these days of "hot" competition knows that consistently accurate ammunition can make the difference between a championship title or just another score.

The complete Remington line of center fire pistol and revolver cartridges is ballistically tailored to "shooters' specifications" with calibers for all popular handguns, together with bullets and other components designed exactly for each shooting purpose.

As a result of precise scientific manufacturing "know how" and quality control, every handgun shooter can solidly rely on accuracy and dependability when he loads up with the Remington ammunition described on the following pages.

The record achievements of Remington Targetmaster 32's, 38's and 45's in major tournaments have made these cartridges the favorites of pistol shooters everywhere. This popularity is based on high accuracy specifications. "Tight" groups on the target start with extreme care in manufacture, precise weights, uniform measurements, endless tests before Remington ammunition is declared "ready for match shooters." Confidence in ammunition performance creates confidence in a shooter's ability and results in higher match scores. That's why more and more top-flight competitors are shooting Remington in the big events.

REMINGTON 38 SPECIAL



REMINGTON PISTOL AND REVOLVER CARTRIDGES

25 (6.35 mm.) AUTOMATIC PISTOL

Adapted to Colt, Browning, Mauser and other automatic pistols.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4225	50 grs.	M.C.	63 lbs.

Packed 50 in a box. 5,000 in a case.

30 (7.63 mm.) MAUSER AUTOMATIC PISTOL

Adapted to Mauser military model automatic pistol.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0230	85 grs.	M.C.	50 lbs.

Packed 50 in a box. 2,000 in a case.

30 LUGER (7.65 mm.) AUTOMATIC PISTOL

Adapted to Luger automatic pistol. Cannot be used in Luger carbine.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
0730	93 grs.	M.C.	50 lbs.

Packed 50 in a box. 2,000 in a case.

32 SMITH & WESSON

Adapted to Smith & Wesson, Colt, Harrington and Richardson, Iver Johnson and other revolvers. Not adapted to revolvers chambered for 32 Short Colt.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1132	88 grs.	Lead	102 lbs.

Packed 50 in a box. 5,000 in a case.

32 SMITH & WESSON, LONG

Adapted to Smith & Wesson, Colt and other revolvers. Not adapted to revolvers chambered for the 32 Long Colt cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1232	98 grs.	Lead	93 lbs.
1332	98 grs.	Lead, Targetmaster Wad Cutter	95 lbs.

Packed 50 in a box. 4,000 in a case.

32 SHORT COLT

Adapted to Colt, Webley and other revolvers, also Marlin Model 1892 repeating rifles. Not adapted to revolvers chambered for the 32 Smith & Wesson cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1632	80 grs.	Lead	94 lbs.

Packed 50 in a box. 5,000 in a case.

"KLEANBORE" PRIMING

25 (6.35 mm.) AUTOMATIC PISTOL

30 (7.63 mm.) MAUSER AUTOMATIC PISTOL

30 LUGER (7.65 mm.) AUTOMATIC PISTOL

32 SMITH & WESSON

32 SMITH & WESSON, LONG WAD CUTTER

32 SHORT COLT

REMINGTON Center Fire PISTOL



32 LONG COLT

Adapted to Colt, Webley and other revolvers, also Marlin Model 1892 repeating rifle. Not adapted to revolvers chambered for the 32 Smith & Wesson Long cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1732	80 grs.	Lead	80 lbs.

Packed 50 in a box. 4,000 in a case.

32 COLT, NEW POLICE (Police Positive)

Adapted to Colt, Smith & Wesson and other revolvers. Not adapted to revolvers chambered for the 32 Long Colt cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
2332	100 grs.	Lead	95 lbs.

Packed 50 in a box. 4,000 in a case.

32 (7.65 mm.) AUTOMATIC PISTOL

Adapted to Browning, Colt, Mauser, Remington, Savage, Smith & Wesson and other automatic pistols.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
2632	71 grs.	M.C.	91 lbs.

Packed 50 in a box. 5,000 in a case.

32-20 WINCHESTER

Adapted to Colt and Smith & Wesson revolvers (100 gr. lead bullet only). The 32-20 Winchester high velocity cartridge is for use in rifles ONLY and should NOT be used in revolvers. See center fire sporting cartridges.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4232	100 grs.	Lead	55 lbs.
4632	100 grs.	S.P.	55 lbs.
4732	80 grs.	Hi-Speed, Mushroom	51 lbs.

Packed 50 in a box. 2,000 in a case.

357 MAGNUM

For use ONLY in Smith & Wesson and Colt revolvers originally chambered for this cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
9835	158 grs.	Hi-Speed, Lead	78 lbs.
8835	158 grs.	Hi-Speed, M.P.	77 lbs.

Packed 50 in a box. 2,000 in a case.

9 mm. LUGER AUTOMATIC PISTOL

Adapted to Luger automatic pistol and Walther P-38 automatic pistol.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1009	124 grs.	M.C.	58 lbs.

Packed 50 in a box. 2,000 in a case.

380 AUTOMATIC PISTOL

Adapted to Browning, Colt, Remington, Savage and other automatic pistols.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1238	95 grs.	M.C.	45 lbs.

Packed 50 in a box. 2,000 in a case.

38 AUTOMATIC COLT PISTOL

Adapted to Colt automatic pistol, military, sporting and pocket models.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1438	130 grs.	M.C.	63 lbs.

Packed 50 in a box. 2,000 in a case.

38 SUPER AUTOMATIC COLT PISTOL

Adapted to Colt Super 38 automatic pistol ONLY.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
1638	130 grs.	Hi-Speed M.C.	63 lbs.

Packed 50 in a box. 2,000 in a case.

38 SMITH & WESSON

Adapted to Smith & Wesson, Colt and other revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
2338	146 grs.	Lead	63 lbs.

Packed 50 in a box. 2,000 in a case.

38 SPECIAL

Adapted to Smith & Wesson, Colt and other revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5138	158 grs.	Lead	70 lbs.
5238	200 grs.	Lead	86 lbs.
5338	158 grs.	M.P.	70 lbs.
6138	148 grs.	Lead, Targetmaster, Wad Cutter	68 lbs.
6238	158 grs.	Lead, Targetmaster, Round Nose	70 lbs.

Packed 50 in a box. 2,000 in a case.

"KLEANBORE"



AND REVOLVER CARTRIDGES

38 SPECIAL *"Hi-Speed"*

For use ONLY in Smith & Wesson 38-44 Heavy Duty, 38-44 Outdoorsman, Colt Shooting Master, Colt New Service and such other revolvers as are designed for use with high velocity ammunition.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6538	158 grs.	Hi-Speed, Lead	74 lbs.
6838	110 grs.	"Hi-Way Master", Metal Penetrating	59 lbs.

Packed 50 in a box. 2,000 in a case.

38 COLT, NEW POLICE (Police Positive)

Adapted to Colt, Smith & Wesson and other revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7138	150 grs.	Lead	65 lbs.

Packed 50 in a box. 2,000 in a case.

38 SHORT COLT

Adapted to Colt revolvers and rifles chambered for this cartridge.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7238	125 grs.	Lead	58 lbs.

Packed 50 in a box. 2,000 in a case.

38 LONG COLT

Adapted to Colt and Smith & Wesson revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7338	150 grs.	Lead	69 lbs.

Packed 50 in a box. 2,000 in a case.

38-40 WINCHESTER

Adapted to Colt revolvers. High velocity cartridges of this caliber are NOT for use in revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
8138	180 grs.	S.P.	85 lbs.

Packed 50 in a box. 2,000 in a case.

41 LONG COLT

Adapted to Colt double action, Frontier single action revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
4341	195 grs.	Lead	85 lbs.

Packed 50 in a box. 2,000 in a case.

44 S. & W. RUSSIAN

Adapted to Smith & Wesson and Colt revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5244	246 grs.	Lead	49 lbs.

Packed 50 in a box. 1,000 in a case.

44 S. & W. SPECIAL

Adapted to Smith & Wesson and Colt revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5544	246 grs.	Lead	51 lbs.

Packed 50 in a box. 1,000 in a case.

44-40 WINCHESTER

Adapted to Colt revolvers. High velocity cartridges of this caliber are NOT for use in revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
5744	200 grs.	S.P.	90 lbs.

Packed 50 in a box. 2,000 in a case.

45 COLT

Adapted to Colt Shooting Master, New Service, Single Action army revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6345	250 grs.	Lead	53 lbs.

Packed 50 in a box. 1,000 in a case.

45 AUTOMATIC

Adapted to Colt automatic pistol, Thompson sub-machine gun, Colt Model 1917 revolver with clips, and Smith & Wesson Model 1917 revolver with clips.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
6645	230 grs.	M.C.	50 lbs.
6745	185 grs.	M.C. Targetmaster Wad Cutter	45 lbs.
7245	173 grs.	Hi-Speed, "Hi-Way Master" Metal Penetrating	42 lbs.

Packed 50 in a box. 1,000 in a case.

45 AUTO RIM

Adapted to Colt Model 1917 and Smith & Wesson Model 1917 revolvers.

INDEX NO.	BULLET WEIGHT	BULLET STYLE	AV. WT. PER CASE
7545	230 grs.	Lead	48 lbs.

Packed 50 in a box. 1,000 in a case.

BULLET TYPES

LEAD
General purpose bullet used for all types of revolver shooting.

WAD CUTTER
Target shooting lead bullet. Used in Remington 32 and 38 "Targetmaster" cartridges.

WAD CUTTER
Target shooting gilding metal jacket bullet. Used in Remington 45 "Targetmaster" cartridges.

METAL CASE
Gilding metal jacket bullet. Used in autoloading pistol and sub-machine gun cartridges.

METAL POINT
Bullet has lead bearing surface with gilding metal jacket point.

METAL PENETRATING
Special metal alloy bullet for law enforcement agencies. Bullet penetrates steel, iron and other metals.

PRIMING



You get POWER-
with REMINGTON EXPRESS*

A cackling cock pheasant thunders into the air, your gun comes up and WHAM! If your lead is right, you fold him with Remington Express shells because you get *power . . . plus pattern!* Whether it's upland or waterfowl hunting, these green shells give extra punch, speed, reach and smash! Knockdown, knockout power! Perfect patterns shot after shot! Get yours now!

When quail whiz out of the cover, or doves twist down to a water-hole, that's when you're glad you're shooting Remington Shur Shot shells. Just right for smaller game shot at shorter ranges, they have power aplenty, plus perfect patterns, minimum recoil, "Wet-Proof" corrugated bodies, lubricated wadding, and Remington "Kleanbore" non-corrosive priming. See your dealer today!

Plus PATTERN and SHUR SHOT* SHELLS

HERE'S PROOF OF THE SMASHING POWER IN REMINGTON "EXPRESS"

Look at the way these No. 4 pellets penetrate ⅞-inch pine planks! At 30 yds. they go clear through; at 40 yds. they penetrate .593 inch . . . at 50 yds., .432 inch. No wonder Remington Express shells are so effective when maximum power is needed.

Knockdown power of Remington Express shells demonstrated! Regulation set of ten bowling pins all struck down . . . at duck-shooting range. Not one left standing! This same test also shows the pattern effectiveness of Remington Express shotgun shells.

How New Remington Flat-Top Crimp Eliminates Blown Patterns

Mouth of shell is tucked in with a special crimping tool and ironed down.

Nothing to interfere with the column of shot. The easy unfolding crimp is . . .

Sealed with a special protective top seal. Seal ruptures and . . .

Adheres to shell on firing. There is nothing to obstruct the shot charge.

THERE'S NOTHING TO OBSTRUCT THE SHOT CHARGE

This spark photo shows how shot charge of old-style shell is obstructed. Result—"blown" or spotty pattern (in circle). Game could escape through holes in pattern.



Spark photo shows unobstructed flight of the shot charge from shell with the New Remington Flat-Top Crimp, fired, like the one above, from a full choke gun. Result—perfect pattern (in circle).

Old-Fashioned Crimp—Spark photo shows obstruction of shot charge from old-style shell fired from open bore gun. Result—imperfect doughnut-shaped pattern.

New Remington Flat-Top Crimp—Spark photo shows unobstructed flight of shot charge. Result—perfect pattern.

*"Express" and "Shur Shot" are registered U.S. Pat. Off., Remington Arms Company, Inc.

Remington

DU PONT

"If It's Remington—It's Right!"

For Power Plus Pattern

New Remington Flat-Top crimp eliminates "blown patterns."

Polished, double inspected uniform size shot.

Tough, corrugated body, Scuff-proof and "Wet-proof".

Special wads keep power behind the shot; lubricated to reduce friction, prevent gas leakage.

Progressive burning powder for extra wallop.

"Kleanbore" Priming provides speedy ignition, does not cause rust or corrosion.

ENLARGED CROSS SECTION OF REMINGTON EXPRESS 12 GAUGE SHOTGUN SHELL

10 GAUGE

12 GAUGE

REMINGTON EXPRESS
WITH NEW FLAT-TOP CRIMP

Remington Express has always meant power, speed and smash, and now with the addition of the amazing New Flat-Top Crimp you can be sure that this hard-hitting shell is a better bet than ever for making your hunting trip a success.

REMINGTON "EXPRESS" EXTRA LONG RANGE SHOTGUN SHELLS

NEW FLAT-TOP CRIMP

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
‡RX10	10 Ga. Remington Exp.	2⅞	4¾	1⅝	BB, 2, 4, 5, 6	79
RX12	12 Ga. Remington Exp.	2¾	3¾	1¼	BB‡, 2, 4, 5, 6, 7½	61
RX16	16 Ga. Remington Exp.	2¾	3	1⅛	2, 4, 5, 6, 7½	55
‡RX16S	16 Ga. Remington Exp.	2⅝	3	1⅛	2, 4, 5, 6, 7½	54
RAX16	16 Ga. Remington Exp.	2¾	3¼	1⅛	2, 4, 5, 6, 7½	55
RX20	20 Ga. Remington Exp.	2¾	2¾	1	2, 4, 5, 6, 7½	48
RX28	28 Ga. Remington Exp.	2⅞	2¼	¾	4, 6, 7½, 9†	39
‡RX410	410 Ga. Remington Exp.	2½	.....	½	4, 5, 6, 7½, 9†	24
‡RX4103	410 Ga. Remington Exp.	3	.....	¾	4, 5, 6, 7½, 9†	32

†28 Ga. and 410 Ga. 9 Shot marked "Skeet Load."
‡In Roll Crimp only.

EXTRA LENGTH LOADS - ROLL CRIMP

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Weight Case (Lbs.)
RX10Mag	10 Ga. Remington Exp.	3½	5	2	BB, 2, 4, 5, 6 (Mag)	92
RX12H3	12 Ga. Remington Exp.	3	4	1⅜	BB, 2, 4, 5, 6	69
RX12Mag	12 Ga. Remington Exp.	3	4¼	1⅝	BB, 2, 4, 5, 6 (Mag)	75

REMINGTON "EXPRESS" BUCK SHOT

Remington buck shot is moulded to an exact size and hardness for maximum performance in all types of modern shotguns.

ROLL CRIMP

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Size Shot	Case Weight (Lbs.)
RX12BK	12 Ga. Remington Exp.	2¾	3¾	00 Buck—9 Pellets	58
RX12BK	12 Ga. Remington Exp.	2¾	3¾	0 Buck—12 Pellets	64
RX12BK	12 Ga. Remington Exp.	2¾	3¾	1 Buck—16 Pellets	70
RX12BK	12 Ga. Remington Exp.	2¾	3¾	4 Buck—27 Pellets	62
RX16BK	16 Ga. Remington Exp.	2 9/16	3	1 Buck—12 Pellets	55
RX20BK	20 Ga. Remington Exp.	2½	2¾	3 Buck—20 Pellets	52

REMINGTON "EXPRESS" RIFLED SLUGS

Proven by test to be twice as accurate as old style round ball loads, the Remington rifled slug converts your shotgun to a rifle. With plenty of knock-down wallop these slugs are available for guns intended for maximum loads and in good condition. Suitable for use in cylinder to full choke barrels.

(5 to Box; 25 to Carton; 500 to Case)

ROLL CRIMP

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
RX12RS	12 Ga. Remington Exp.	2¾	3¾	1	Rifled Slug.....	52
RX16RS	16 Ga. Remington Exp.	2 9/16	3	⅞	Rifled Slug.....	45
RX20RS	20 Ga. Remington Exp.	2½	2¾	⅝	Rifled Slug.....	38
RX28RS	28 Ga. Remington Exp.	2¾	2¼	½	Rifled Slug.....	31
RX410RS	410 Ga. Remington Exp.	2½	.....	1/5	Rifled Slug.....	20

***In ordering, Size of Shot should follow load number.**

RIFLED SLUGS





REMINGTON SHUR SHOT

FIELD LOADS

Remington Shur Shot field loads have won a great reputation for dependable uniform quality, with minimum recoil that's easy on your shoulder and a price that's easy on your pocketbook. This fine red shell with the NEW FLAT-TOP CRIMP has ample power for hunting cottontail rabbits, quail, partridge, squirrels and other game. For tougher game shot at longer ranges . . . ask for Remington Express shells.

FIELD LOADS

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
S12	12 Ga. Shur Shot	2¾	3	1	4, 5, 6, 8	52
S12M	12 Ga. Shur Shot	2¾	3	1⅛	4, 5, 6, 8	54
S12H	12 Ga. Shur Shot	2¾	3¼	1⅛	4, 5, 6, 8	55
‡S16	†16 Ga. Shur Shot	2⅝	2½	1	4, 5, 6, 8	49
S16H	16 Ga. Shur Shot	2¾	2¾	1⅛	4, 6, 8	54
S20	20 Ga. Shur Shot	2¾	2¼	⅞	4, 5, 6, 8	43
S20M	20 Ga. Shur Shot	2¾	2½	1	4, 6, 8	47

SCATTER LOADS

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
‡SL12	12 Ga. Shur Shot	2⅝	3	1⅛	8	54
‡SL16	16 Ga. Shur Shot	2⅝	2½	1	8	50
‡SL20	20 Ga. Shur Shot	2½	2¼	⅞	8	44

‡Supplied in Rol. Crimp only
*In ordering, size of shot should follow load number

All shells packed 25 per box — 500 per case

"KLEANBORE" PRIMING
Kleanbore primer does not cause rust or corrosion, and keeps the gun barrels clean and accurate. It saves the bother and labor of barrel cleaning.

WETPROOF
By actual test, the Wetproof process keeps the powder dry and the shell body free from swelling in all kinds of weather.

PROGRESSIVE BURNING POWDER
All Remington shotgun shells have progressive burning powder that builds up power progressively along the gun barrel until the charge has left the muzzle.

DOUBLE SCREENED PELLETS
Shot for Remington shotgun shells are made as perfectly round as modern methods can make them. Round pellets travel straight on their course.

CORRUGATED BODIES
These strong, tough corrugated shotgun shell bodies make for smoother feeding, extraction and ejection in all kinds of shotguns.

BATTERY CUP
Remington ballisticians originated the battery cup, a strong secure priming structure that assures an intense white-hot flash from the Kleanbore priming that quickly and completely ignites the powder.

SUPERIOR WADDING
Remington lubricated wadding keeps the power behind the shot to deliver a maximum blow. Lubrication reduces friction, prevents gas leakage.

REMINGTON RESEARCH
The Remington-Du Pont names have long been symbols for research and study. Out of that research have come many of the greatest forward strides in the manufacture of guns and ammunition.

REMINGTON SHUR SHOT

TRAP AND SKEET LOADS

With Exclusive "H" Wad Column

HERE — backed by intensive development and testing — is the most sensational advancement in shotgun shell design and efficiency since Remington's introduction of the Flat-Top Crimp.

The new "H" Wad, made of polyethylene — a tough, flexible Du Pont plastic — is the heart of a revolutionary wad column that gives both piston-tight gas sealing AND double shock-absorber cushioning — with no loss of pellet speed or striking energy. Shoot them the next time you're out!

TRAP LOADS

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
ST12L	12 Ga. Shur Shot	2¾	2¾	1⅛	7½, 8	55
ST12M	12 Ga. Shur Shot	2¾	3	1⅛	7½, 8 (Trap)	55
ST12H	12 Ga. Shur Shot	2¾	3¼	1¼	7½, 8	60

SKEET LOADS

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)
SK12 †	12 Ga. Shur Shot	2¾	3	1⅛	9	55
SK16	16 Ga. Shur Shot	2¾	2½	1	9	49
SK20	20 Ga. Shur Shot	2¾	2¼	¾	9	44
RX28	28 Ga. Rem. Exp.	2¾	2¼	¾	9	39
RX410	410 Ga. Rem. Exp.	2½		½	9 (Roll Crimp)	24
RX4103	410 Ga. Rem. Exp.	3		¾	9 (Roll Crimp)	32

*** In ordering, Size of Shot should follow load number.**

† Remington Skeet loads with "H" Wad available in 12 gauge only.

All shells packed 25 per box — 500 per case

HERE'S HOW THE EXCLUSIVE "H" WAD COLUMN GIVES PISTON-TIGHT GAS SEALING . . . LIGHTER RECOIL . . . BETTER PATTERNS . . . SPEED THAT SMOKES 'EM!



FIRING THE SHELL drives all 3 wads together to make an ideal wad column — springy front wad, tough, flexible "H" Wad, lubricating rear wad. *No more efficient gas-sealing shotgun shell has ever been developed!*



PRECISION-MADE WAD COLUMN. Each wad is gauged separately, and over-powder wad is impregnated with special hydrocarbon compound which lubricates barrel evenly, assists "H" Wad in sealing gas.

PISTON-TIGHT GAS SEAL. The tough but flexible "H" Wad adapts itself under pressure, like a piston ring, to variations in the barrel (thru forcing cone, bore and choke) to produce perfect gas sealing.

REMINGTON HAS THE RIGHT LOAD FOR EVERY KIND OF GAME

GAME	SHELL	SHOT SIZE	WHAT EXPERIENCED HUNTERS SAY . . .
DUCKS	Remington Express	4, 5, 6	Use No. 4 shot for long range and pass shooting. For normal range — No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys.
GEESE	Remington Express	BB, 2, 4	Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys.
PHEASANTS	Remington Express	5, 6	For cornfield shooting where long shots are usual — better use No. 5. On a normal rise over dogs and for all around use No. 6 is the favorite. Bigger shot may be dangerous when hunting in large groups.
GROUSE OR PARTRIDGE	Remington Express or Remington Shur Shot	5, 6, 7½, 8	On the smaller birds such as ruffed grouse or Hungarian Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and large shot.
QUAIL	Remington Shur Shot	7½, 8, 9	For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used.
DOVES AND PIGEONS	Remington Shur Shot or Remington Express	6, 7½, 8	You can do a good job on mourning doves at normal ranges with Remington "Shur Shot" and No. 7½ or No. 8 shot — but for longer ranges use Remington Express and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings.
WOODCOCK	Remington Shur Shot	7½, 8, 9	Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice.
RABBITS	Remington Shur Shot or Remington Express	4, 5, 6	For cottontail rabbits at normal range, Remington "Shur Shot" is suitable, but for larger game such as jack-rabbits and snow shoe rabbits use Remington Express.
SQUIRRELS	Remington Express	5, 6	Most hunters use 5's or 6's and prefer the heavy loads particularly in the tall timber.
RAIL	Remington Shur Shot	7½, 8, 9	For the little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail.
TURKEY	Remington Express	BB, 2, 4	Choice of shot size depends on your range. If you're a good caller No. 4 shot makes a clean kill while BB's and No. 2's are best for long shots.
FOX	Remington Express	BB, 2	It's a toss-up between BB's and No. 2 shot. But remember — the smaller the shot, the denser the pattern.
DEER, BLACK BEAR AND WOLF	Remington Express	Rifled Slug and Buck Shot	Remington Express rifled slugs are effective up to 100 yards. For deer and black bear 12 and 16 gauge slugs are the best. 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot.

NOTE— Remington Shur Shot in No. 7½ shot available in trap loads only, No. 9 shot in skeet loads only.

AVERAGE BALLISTICS OF REMINGTON CARTRIDGES

REMINGTON RIM FIRE CARTRIDGES WITH "KLEANBORE" PRIMING

NOTE: The data presented herein are standards adopted by the Sporting Arms and Ammunition Manufacturers Institute

REMINGTON "HI-SPEED"

INDEX NO.	CARTRIDGE	BULLET		VELOCITY—FT. PER SECOND		ENERGY—FOOT POUNDS		MID-RANGE TRAJECTORY
		Wgt. Grs.	Style	Muzzle	100 Yards	Muzzle	100 Yards	Ins.—100 Yds.
1022	22 Short	29	Lead	1125	920	81	54	4.3
1122	22 Short	27	H.P.	1155	920	80	51	4.2
1322	22 Long	29	Lead	1240	965	99	60	3.8
1522	22 Long Rifle	40	Lead	1335	1045	158	97	3.3
1622	22 Long Rifle	36	H.P.	1365	1040	149	86	3.3
1822	22 W.R.F. (Remington Special)	45	Lead	1450	1110	210	123	2.7

REMINGTON — Standard Velocity

5522	22 Short	29	Lead	1045	810	70	——	——
5722	22 Short Gallery Special Spatter-Less	29	Lead	1045	——	70	——	——
5822	22 Short Spatter-Less	29	Lead	1045	——	70	——	——
6122	22 Long Rifle	40	Lead	1145	975	116	84	4.0
7522	22 Winchester Automatic	45	Lead	1055	930	111	86	4.6
7422	22 Remington Autoloading	45	Lead	920	——	84	——	5.5
8125	25 Stevens	67	Lead	1130	985	184	140	3.8
8432	32 Short	80	Lead	945	840	158	125	5.3
8532	32 Long	90	Lead	945	850	178	144	5.3

REMINGTON — Special Match Cartridge

6622	22 Long Rifle—*Remington Match*	40	Lead	1145	975	116	84	4.0

H.P.—Hollow Point

REMINGTON PISTOL and REVOLVER CARTRIDGES WITH "KLEANBORE" PRIMING

INDEX NO.	CARTRIDGE	BULLET		VELOCITY — FEET PER SECOND			ENERGY — FOOT POUNDS			MID-RANGE TRAJECTORY		BARREL INCHES
		Wgt. Gr.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
4225	25 (6.35 mm.) Automatic	50	M.C.	810	755	700	73	63	54	1.8	7.7	2
0730	30 (7.65 mm.) Luger	93	M.C.	1220	1110	1035	307	254	221	0.9	3.5	4½
0230	30 (7.63 mm.) Mauser Automatic	85	M.C.	1410	1210	1075	375	276	218	0.6	3.0	5½
1632	32 Short Colt	80	Lead	795	710	635	112	89	72	1.9	8.6	4
1732	32 Long Colt	80	Lead	790	740	700	111	97	87	1.9	8.0	4
2332	32 Colt New Police	100	Lead	785	725	670	137	117	100	1.9	8.3	4
2632	32 (7.65 mm.) Automatic Pistol	71	M.C.	960	905	850	145	129	114	1.3	5.4	4
1132	32 Smith & Wesson	88	Lead	705	670	630	97	88	77	2.6	9.8	3
1232	32 Smith & Wesson Long	98	Lead	780	740	700	132	119	107	1.9	7.9	4
1332	32 S & W Long Wad Cutter *Targetmaster*	98	Lead	780	620	505	132	84	55	2.3	11.0	4
8835	357 Magnum *Hi-Speed*	158	M.P.	1430	1255	1130	717	551	447	0.6	2.8	8⅜
9835	357 Magnum *Hi-Speed*	158	Lead	1430	1255	1130	717	551	447	0.6	2.8	8⅜
1009	9 mm. Luger	124	M.C.	1120	1030	965	345	292	256	1.0	4.1	4
2338	38 Smith & Wesson	146	Lead	730	695	655	173	156	139	2.2	9.0	4
6238	38 Special Round-Nose *Targetmaster*	158	Lead	855	820	790	256	236	219	1.6	6.5	6
5138	38 Special	158	Lead	855	820	790	256	236	219	1.6	6.5	6
5238	38 Special	200	Lead	730	695	665	236	214	196	2.2	9.0	6
5338	38 Special	158	M.P.	855	820	790	256	236	219	1.6	6.5	6
6138	38 Special Wad Cutter *Targetmaster*	148	Lead	770	655	560	170	141	103	2.1	10.0	6
6838	38 Special Metal Penetrating *Hi-Way Master*	110	Special	1320	1130	1020	425	312	254	0.7	3.4	5
6538	38 Special *Hi-Speed*	158	Lead	1085	1030	980	413	372	337	1.0	4.2	5
7138	38 Colt New Police	150	Lead	680	645	615	154	138	126	2.5	10.5	4
7238	38 Short Colt	125	Lead	760	715	670	160	142	124	2.1	8.7	6
7338	38 Long Colt	150	Lead	770	735	700	197	180	163	1.9	8.1	6
1638	38 Super Automatic *Hi-Speed*	130	M.C.	1275	1140	1050	469	375	318	0.8	3.4	5
1438	38 Automatic	130	M.C.	1040	980	925	312	277	247	1.0	4.7	4½
1238	380 Automatic	95	M.C.	955	865	785	192	158	130	1.4	5.9	3¾
4341	41 Long Colt	195	Lead	730	705	680	231	207	200	2.2	8.8	6
5244	44 Smith & Wesson Russian	246	Lead	755	725	695	311	283	264	2.0	8.3	6½
5544	44 Smith & Wesson Special	246	Lead	755	725	695	311	283	264	2.0	8.3	6½
6345	45 Colt	250	Lead	855	815	775	405	368	333	1.6	6.6	5½
6645	45 Automatic	230	M.C.	850	810	775	369	335	307	1.6	6.5	5
6745	45 Automatic Wad Cutter *Targetmaster*	185	M.C.	875	785	705	314	253	204	1.6	7.1	5
7245	45 Auto. Metal Penetrating *Hi-Way Master*	173	Special	1125	1005	920	486	388	325	1.0	4.3	5
7545	45 Automatic Rim	230	Lead	805	765	725	331	299	268	1.8	7.4	5½

MATCH CARTRIDGES — Pistol and Revolver

1332	32 S & W Long Wad Cutter *Targetmaster*	98	Lead	780	620	505	132	84	55	2.3	11.0	4
6238	38 Special Round Nose *Targetmaster*	158	Lead	855	820	790	256	236	219	1.6	6.5	6
6138	38 Special Wad Cutter *Targetmaster*	148	Lead	770	655	560	170	141	103	2.1	10.0	6
6745	45 Automatic Wad Cutter *Targetmaster*	185	M.C.	875	785	705	314	253	204	1.6	7.1	5

REMINGTON CENTER FIRE RIFLE CARTRIDGES
WITH "KLEANBORE" PRIMING

INDEX NO.	CARTRIDGE	BULLET		VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				MID-RANGE TRAJECTORY		
		Wgt.Grs.	Style	Muzzle	100 Yds.	200 Yds.	300 Yds.	Muzzle	100 Yds.	200 Yds.	300 Yds.	100 Yds.	200 Yds.	300 Yds.
0218	218 Bee Hi-Speed	46	Mush.	2860	2160	1610	1200	835	475	265	145	0.7	3.8	11.5
0219	219 Zipper Hi-Speed	56	Mush.	3110	2440	1940	1550	1200	740	465	300	0.6	2.9	8.3
0322	22 Hornet Hi-Speed	45	Mush.	2690	2030	1510	1150	720	410	230	130	0.8	4.3	13.0
0222	22 Hornet Hi-Speed	45	S.P.	2690	2030	1510	1150	720	410	230	130	0.8	4.3	13.0
0822	220 Swift Hi-Speed	48	S.P.	4110	3490	2930	2440	1800	1300	915	635	0.3	1.4	3.8
0422	22 Savage Hi-Speed	65	**S.P.C.L.**	2980	2530	2120	1770	1280	925	650	450	0.5	2.8	7.3
0722	222 Remington Hi-Speed	50	S.P.	3200	2650	2170	1750	1140	780	520	340	0.5	2.5	7.0
0922	222 Remington Hi-Speed	50	M.C.	3200	2650	2170	1750	1140	780	520	340	0.5	2.5	7.0
1625	25-20 Winchester Hi-Speed	60	Mush.	2250	1660	1240	1030	675	365	205	140	1.2	6.3	21.0
1325	25-20 Winchester	86	Lead	1460	1180	1030	940	405	265	200	170	2.6	12.5	32.0
1525	25-20 Winchester	86	S.P.	1460	1180	1030	940	405	265	200	170	2.6	12.5	32.0
4725	25 Remington Express	117	**S.P.C.L.**	2320	1980	1700	1470	1400	1020	750	560	1.0	4.5	11.5
7425	250 Savage Hi-Speed	87	S.P.	3030	2660	2330	2060	1770	1370	1050	820	0.6	2.5	6.4
7125	250 Savage Hi-Speed	100	Ptd.S.P.C.L.	2820	2500	2210	1940	1760	1390	1080	835	0.6	2.8	7.1
7225	250 Savage Hi-Speed	100	**S.P.C.L.**	2820	2350	1970	1670	1760	1220	860	620	0.6	3.1	8.4
6325	25-35 Winchester Express	117	**S.P.C.L.**	2300	1950	1680	1460	1370	985	730	555	1.0	4.6	12.0
6125	25-35 Winchester Express	117	M.C.	2300	1910	1600	1340	1370	945	665	465	1.0	4.6	12.5
5425	257 Roberts Hi-Speed	100	Ptd.S.P.C.L.	2900	2580	2280	2000	1870	1480	1150	885	0.6	2.7	6.7
5325	257 Roberts Express	117	**S.P.C.L.**	2650	2280	1950	1690	1820	1350	985	740	0.7	3.4	8.8
8027	270 Winchester Hi-Speed	100	**Ptd. S.P.**	3580	3160	2770	2400	2840	2210	1700	1280	0.4	1.7	4.5
8327	270 Winchester Hi-Speed	130	**Ptd.S.P.C.L.**	3140	2850	2580	2320	2840	2340	1920	1550	0.5	2.1	5.3
8427	270 Winchester Hi-Speed	130	Br. P.	3140	2880	2630	2400	2840	2390	1990	1660	0.5	2.1	5.1
8127	270 Winchester Hi-Speed	150	**S.P.C.L.**	2800	2440	2140	1870	2610	1980	1520	1160	0.6	2.9	7.6
1530	30-30 Winchester Express	150	**S.P.C.L.**	2410	1960	1620	1360	1930	1280	875	615	0.9	4.5	12.5
1230	30-30 Winchester Express	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	1.0	5.0	13.0
1330	30-30 Winchester Express	170	**M.C.L.**	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
1430	30-30 Winchester Express	170	**S.P.C.L.**	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
2330	30 Remington Express	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	1.0	5.0	13.0
2430	30 Remington Express	170	**M.C.L.**	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
2630	30 Remington Express	170	**S.P.C.L.**	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
4930	30-40 Krag Hi-Speed	180	**S.P.C.L.**	2470	2120	1830	1590	2440	1790	1340	1010	0.8	3.8	9.9
5030	30-40 Krag Hi-Speed	180	**Ptd.S.P.C.L.**	2470	2250	2040	1850	2440	2020	1660	1370	0.8	3.5	8.5
4330	30-40 Krag Express	220	**M.C.L.**	2200	1930	1700	1510	2360	1820	1410	1110	1.0	4.6	12.0
4630	30-40 Krag Express	220	**S.P.C.L.**	2200	1930	1700	1510	2360	1820	1410	1110	1.0	4.6	12.0
6630	30-06 Springfield Hi-Speed	110	Ptd.S.P.	3420	2940	2490	2090	2850	2110	1510	1070	0.4	2.1	5.6
6030	30-06 Springfield Hi-Speed	150	Br. P.	2970	2710	2470	2240	2930	2440	2030	1670	0.5	2.4	6.0
5930	30-06 Springfield Pointed	150	M.C.	2810	2550	2310	2080	2630	2160	1780	1440	0.6	2.6	6.7
6430	30-06 Springfield Hi-Speed	180	**S.P.C.L.**	2700	2330	2010	1740	2910	2170	1610	1210	0.7	3.1	8.3
6530	30-06 Springfield Hi-Speed	180	**Ptd.S.P.C.L.**	2700	2470	2250	2040	2910	2440	2020	1660	0.7	2.9	7.0
6130	30-06 Springfield Hi-Speed	180	Br. P.	2700	2480	2280	2080	2910	2460	2080	1730	0.7	2.9	6.9
6730	30-06 Springfield *Palma Match*	180	M.C.T.H.	2700	2520	2350	2190	2910	2540	2200	1900	0.6	2.8	6.7
5630	30-06 Springfield Express	220	**M.C.L.**	2410	2120	1870	1670	2830	2190	1710	1360	0.8	3.9	9.8
5730	30-06 Springfield Express	220	**S.P.C.L.**	2410	2120	1870	1670	2830	2190	1710	1360	0.8	3.9	9.8
7830	300 H & H Magnum Hi-Speed	180	**Ptd.S.P.C.L.**	2920	2670	2440	2220	3400	2850	2380	1970	0.6	2.4	5.8
7730	300 H & H Magnum Match	180	M.C.T.H.	2920	2740	2550	2380	3400	3000	2600	2260	0.6	2.4	5.7
7630	300 H & H Magnum Express	220	**M.C.L.**	2620	2320	2050	1830	3350	2630	2050	1630	0.7	3.2	8.2
7330	300 Savage Hi-Speed	150	**S.P.C.L.**	2670	2270	1930	1660	2370	1710	1240	915	0.7	3.3	9.3
7430	300 Savage Hi-Speed	150	Br. P.	2670	2410	2170	1950	2370	1930	1570	1270	0.7	3.0	7.5
7030	300 Savage Express	180	**S.P.C.L.**	2370	2040	1760	1520	2240	1660	1240	920	0.9	4.1	10.5
7230	300 Savage Express	180	**Ptd.S.P.C.L.**	2370	2160	1960	1770	2240	1860	1530	1250	0.9	3.7	9.2
8330	303 British Express	215	S.P.	2180	1900	1660	1460	2270	1720	1310	1020	1.1	4.9	12.5
8030	303 Savage Express	180	**M.C.L.**	2140	1810	1550	1340	1830	1310	960	715	1.1	5.4	14.0
8130	303 Savage Express	180	**S.P.C.L.**	2140	1810	1550	1340	1830	1310	960	715	1.1	5.4	14.0
5532	32 Remington Express	170	**M.C.L.**	2220	1890	1610	1400	1860	1350	975	740	1.0	4.9	13.0
5632	32 Remington Express	170	**S.P.C.L.**	2220	1890	1610	1400	1860	1350	975	740	1.0	4.9	13.0
5032	32 Winchester Special Express	170	**M.C.L.**	2280	1920	1630	1410	1960	1390	1000	750	1.0	4.8	12.5
5132	32 Winchester Special Express	170	**S.P.C.L.**	2280	1920	1630	1410	1960	1390	1000	750	1.0	4.8	12.5
5332	32 Winchester Self-Loading	165	S.P.	1390	1180	1050	970	705	510	405	345	2.7	12.5	31.5
4732	32-20 Winchester Hi-Speed	80	Mush.	2100	1430	1090	950	780	365	210	160	1.5	8.5	24.5
4232	32-20 Winchester	100	Lead	1290	1060	940	840	370	250	195	155	3.3	15.5	38.0
4632	32-20 Winchester	100	S.P.	1290	1060	940	840	370	250	195	155	3.3	15.5	38.0
5832	32-40 Winchester	165	S.P.	1440	1250	1100	1030	760	570	445	390	2.4	11.0	28.0
6133	33 Winchester	200	S.P.	2190	1860	1600	1390	2130	1530	1140	855	1.1	5.0	13.0
6434	348 Winchester Hi-Speed	150	S.P.	2890	2360	1860	1420	2780	1850	1150	670	0.6	3.2	9.0
6534	348 Winchester Express	200	**M.C.L.**	2530	2140	1820	1570	2840	2030	1470	1090	0.8	3.8	10.0
6634	348 Winchester Express	200	**S.P.C.L.**	2530	2140	1820	1570	2840	2030	1470	1090	0.8	3.8	10.0
7035	35 Winchester Self-Loading	180	S.P.	1400	1150	1030	940	785	530	425	355	2.7	13.0	32.5
8235	35 Remington Express	200	**M.C.L.**	2210	1830	1540	1310	2170	1490	1050	760	1.1	5.2	14.0
8335	35 Remington Express	200	**S.P.C.L.**	2210	1830	1540	1310	2170	1490	1050	760	1.1	5.2	14.0
8135	35 Remington	200	M.C.	2210	1830	1540	1310	2170	1490	1050	760	1.1	5.2	14.0
7435	351 Winchester Self-Loading	180	S.P.	1850	1560	1310	1140	1370	975	685	520	1.5	7.8	21.5
7335	351 Winchester Self-Loading	180	M.C.	1850	1560	1310	1140	1370	975	685	520	1.5	7.8	21.5
8138	38-40 Winchester	180	S.P.	1330	1070	960	850	705	455	370	290	3.2	15.0	36.5
8438	38-55 Winchester	255	S.P.	1320	1160	1050	1000	985	760	625	565	2.9	13.0	32.0
2140	401 Winchester Self-Loading	200	S.P.	2190	1650	1220	1010	2130	1210	660	455	1.2	6.3	19.0
5744	44-40 Winchester	200	S.P.	1310	1050	940	830	760	490	390	305	3.3	15.0	36.5
8245	45-70 Government	405	S.P.	1320	1160	1050	990	1570	1210	990	880	2.9	13.0	32.5
8707	7 mm. Mauser Express	175	S.P.	2490	2170	1900	1680	2410	1830	1400	1100	0.8	3.7	9.5
8908	8 mm. Mauser Hi-Speed	170	**S.P.C.L.**	2570	2140	1790	1520	2490	1730	1210	870	0.8	3.9	10.5
8808	8 mm. Lebel Hi-Speed	170	S.P.	2640	2260	1960	1700	2630	1930	1450	1090	0.7	3.4	8.9

Abbreviations: Mush.—Mushroom • S. P. Soft Point • Br. P.—Bronze Point • C. L. *Core-Lokt* • M. C.—Metal Cased
T. H.—Tapered Heel • M. C. L.—Mushroom *Core-Lokt* • Ptd.—Pointed

INTERCHANGEABILITY CHART

CARTRIDGES IN GROUPS SHOWN BELOW WILL INTERCHANGE

RIM FIRE

22 W.R.F.
22 Remington Special
22 Winchester M/1890

25 Stevens Short in
25 Stevens but not conversely

32 Short in
32 Long but not conversely

CENTER FIRE

25-20 Winchester, Marlin, Remington
25-20 Winchester and Marlin
25-20 W.C.F.
25-20 Winchester
25-20 Winchester High Velocity (Hi-Speed)
25-20 Marlin

25 Colt Automatic
25 Automatic Pistol
25 (6.35 mm.) Automatic Pistol
6.35 mm. Browning Automatic

30-30 Winchester, Marlin, Savage
30-30 Winchester
30-30 Marlin
30-30 Winchester High Velocity (Express)
30 W.C.F.

32 Short Colt in
32 Long Colt but not conversely
SEE NOTE A

CENTER FIRE

32 Colt Automatic
32 Automatic Pistol
32 (7.65 mm.) Automatic Pistol
7.65 mm. Automatic Pistol

32 Smith & Wesson in
32 Smith & Wesson Long but not conversely

32 Smith & Wesson, Long
32 Colt's New Police
32 Colt's Police Positive

38 Smith & Wesson
38 Colt's New Police

38 Short Colt in
38 Long Colt but not conversely
Both can be used in 38 Special

32 Winchester, Marlin, Remington*
32 Winchester and Marlin*
32 W.C.F.*
32 Winchester*
32-20 Winchester*
32-20 Winchester High Speed*
32-20 Marlin*
32-20 Colt L.M.R.*
32-20 W.C.F.*
32-20 Winchester and Marlin*

CENTER FIRE

38 Colt Special
38 Smith & Wesson Special
38 Targetmaster
38 Smith & Wesson Special Mid-Range
38 Special Hi-Speed (†)
38-44 Special (†)
38 Special
38 Special Flat Point
SEE NOTE B

38 Winchester, Marlin, Remington
38 Winchester
38 Remington
38-40 Winchester
38 W.C.F.

44 Winchester, Marlin, Remington
44 Winchester
44 Remington
44-40 Winchester
44 W.C.F.

45-70 Government
45-70 Marlin
45-70-405

9 mm. Luger Automatic Pistol
9 mm. Parabellum

NOTE: *High Velocity, Hi-Speed Cartridges must not be used in Revolvers. They should be used only in rifles made especially for them. Exceptions: items marked (†) are designed especially for the 38-44 Smith & Wesson Revolver and the 38 Colt Shooting Master. Pressure of these two cartridges is safe for lighter guns, but the recoil is likely to be more unpleasant and the frame may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 Smith & Wesson or 32 Smith & Wesson Long.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

BLANK CARTRIDGES

LOADED WITH A SPECIAL POWDER INSURING LOUD REPORT

RIM FIRE

Index No.	†Packed 50 in a Box; others packed 20 in a box	CASE Primer No.	Quantity	Average Weight Lbs.
9022	22 Short .....†		10,000	19

CENTER FIRE

9032	32 Smith & Wesson .....†	1½	5,000	33
9238	38 Smith & Wesson .....†	1½	2,000	22
9430	30-40 Krag, (Paper Bullet)	9½	1,000	39
9630	30-06 Springfield, (Paper Bullet)	9½	1,000	44

SHOT CARTRIDGES

RIM FIRE

9322	22 Long Rifle, Hi-Speed for miniature Trap and Skeet Shooting		10,000	69

SEE YOUR DEALER FOR PRICES ON REMINGTON AMMUNITION COMPONENTS

Remington

The Oldest Gunmakers In America Present The Newest Guns

SHOTGUNS

NEW

REMINGTON "SPORTSMAN-48"—Lightweight, streamlined 3-shot autoloading shotgun. 12, 16, 20 gauges. Also available in Skeet grade.

NEW

REMINGTON MODEL 11-48—5-shot twin of the "Sportsman-48" with same streamlined appearance and dependable performance. 12, 16, 20, 28 and 410 gauges. Model 11-48 in 28 and 410 gauges also available in skeet grade.

NEW

REMINGTON "Wingmaster" MODEL 870AP—Sensational new fast-pointing, fast-shooting 5-shot pump action shotgun. 3-shot plug furnished. 12, 16, 20 gauges. The "Wingmaster" is also available in Skeet and Trap grades—plus new 3-shot 12 gauge *MAGNUM!*

NEW

REMINGTON "Wingmaster" MODEL 870ADL—The De Luxe grade "Wingmaster" features beavertail fore-end, matted barrel, attractive checkering on stock and fore-end, black butt plate, and decorative grip cap. 12, 16, 20 gauges.

NOW... **America's oldest gunmakers offer America's *most complete* new line of sporting firearms. Every gun is a masterpiece in its class . . . fast, accurate, and absolutely dependable.**

BIG GAME RIFLES



NEW

REMINGTON "Gamemaster" MODEL 760—The only slide action high power rifle made. The fastest hand-operated big game rifle. New exclusive features. Calibers: 30-06 Spfld., 300 Sav., 35 Rem., 257 Rob'ts and 270 Win.

NEW

REMINGTON MODEL 721—Strongest bolt action big game rifle ever built. A fast-handling, powerful game-getter that is light in weight and extremely accurate. Calibers: 30-06 Spfld., 270 Win., 300 Magnum.

NEW

REMINGTON MODEL 722—Powerful, handsome streamliner, same as Model 721 except for shorter action, lighter weight. Chambered for 300 Sav., 257 Roberts and amazing new 222 Remington varmint cartridge.

Remington

DU PONT

22 RIFLES



REMINGTON "Sportmaster" MODEL 512A—22 cal. bolt action repeating rifle. Tubular magazine holds 22 short, 17 long or 15 long rifle cartridges. Same dependable action as Models 510 and 511 . . . with double cams, double locking lugs, double extractors.

REMINGTON "Targetmaster" MODEL 510A—Bolt action single shot 22. Self-cocking bolt, automatic safety, firing indicator. Chromium plated bolt, bolt handle and trigger.

REMINGTON "Scoremaster" MODEL 511A—Bolt action box magazine 22 cal. repeater. 7-shot capacity. Advanced design—no finer rifle of its type.

REMINGTON MODEL 513S—This handsome "Sporter" outclasses other 22 cal. sporting rifles in its price range. Smart, racy—ideal for general use.

NEW

REMINGTON MODEL 514A—22 cal. bolt action single shot rifle. Light weight, rugged construction, triple safety features. Popular price.

NEW

REMINGTON MODEL 550A—22 cal. autoloading rifle. The only autoloader with exclusive "Power Piston" that permits shooting 22 short, long and long rifle cartridges interchangeably, without adjustment.

REMINGTON "Rangemaster" MODEL 37AO—22 cal. bolt action target rifle. Unsurpassed accuracy, "Miracle Trigger." A precision rifle favored by small-bore champions.

REMINGTON "Matchmaster" MODEL 513T—High grade 22 cal. target rifle at a moderate price. Exceptionally fine accuracy . . . every desirable feature for match shooting.

NEW

REMINGTON MODEL 521T—Combination hunting and target rifle. 22 caliber box magazine repeater. 7-shot capacity. Micrometer rear sight. Adjustable sling swivel.

REMINGTON "Fieldmaster" MODEL 121A—22 cal. slide action repeater. Unexcelled in performance or reliability by any rifle in its class. Large magazine capacity.

Remington

DU PONT

AMERICA'S MOST POPULAR

TRAP and SKEET EQUIPMENT

REMINGTON TARGET THROWER

The most versatile of shotgun target sports is hand trap shooting. High, low, fast or slow — throw them any way you want with a Remington target thrower. "The spring does the work." Real practice for field shooting. The Remington target thrower is small, light and easy to carry. In its folded position, it takes up very little room in a week-end bag.

REMINGTON "BLUE ROCK" TARGETS

Remington "Blue Rock" targets have a bright, glossy surface . . . makes them cleaner to handle, easier to see. Wind tunnel tests have proved fast, flywheel action — smooth, even flight. They have chrome yellow domes — the most visible color in the spectrum. Remington "Blue Rocks" are the world's best known targets.



REMINGTON MODEL 41 AUTO-ANGLING TRAP

The Remington Model 41 Auto-Angling trap for straight trapshooting gives 72 angles of perfect target flight — all different, all automatic. Faster cocking, loading, releasing. Simple, dependable design, assuring long low-cost service. Easily adjustable for manual angling or doubles. Approved by shooters at all championship contests.



REMINGTON "EXPERT" TRAP

A strong, lightweight, sturdily built smooth operating portable trap. Just right for use at summer camps or cottages, aboard boats or for trips into the country. The right trap for "walk up" shooting games.



REMINGTON "WONDER" TRAP

For straight trap and skeet shooting. Tested in service and proved in practice, the Wonder Trap meets every requirement for throwing clay targets. Less vibration, automatically "sets" itself, instant adjustment.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet shooting. Throws either double or single targets. Best built trap on the market for the price. Especially suited for small clubs or private estates. Available also as complete skeet outfit consisting of two Blue Rock Traps and Remington's exclusive Singlever Pull for manual operation.

REMINGTON "WONDER" DE LUXE SKEET OUTFIT

Finest equipment available for the modern skeet field. Consists of two Remington Wonder traps with Remington's exclusive Singlever manual control and all other accessories necessary for the complete installation. Also for use with the Remington Electric Skeet Timer — simple, practical, easy to operate. Instantaneous or variable timing by the flip of a switch. Used at leading skeet clubs.





Remington, Kleanbore, Targetmaster, Express, Shur Shot, Sportsman, Scoremaster, Sportmaster, Matchmaster, Rangemaster, Fieldmaster, Wingmaster, Gamemaster, Core-Lokt, Blue Rock, Expert, Wonder are Reg. U. S. Pat. Off.; Hi-Way Master and Hi-Speed are trade marks of Remington Arms Company, Inc., Bridgeport 2, Connecticut.

Here they come...

YOU watch the beating wings approach. There's a quickening of your heart. Forgotten are icy feet, cramped limbs, the sting of sleet. Here now is the great thrill of hunting. This is the payoff!

You're glad now you chose Remington "Express"—your best insurance that this great moment will not be followed by the disappointment of a miss or a cripple.

Remington "Express" shells are loaded to the limit for power—not to encourage the extreme long-range shots conservationists and good sportsmen advise against—but to reduce the number of birds lost through honest errors in range estimation.

Thanks to the Flat-Top Crimp originated by Remington, these great green shells insure a perfect pattern every shot. The strong corrugated body is completely wetproof. And famous "Kleanbore" priming protects your gun barrel. Your own dealer has a full supply.

REMINGTON "EXPRESS" SHELLS

Remington DU PONT

"Express" and "Kleanbore" are Reg. U.S. Pat. Off. by Remington Arms Company, Inc., Bridgeport 2, Conn.

Above is an interpretation of a scene by famous illustrator Stevan Dohanos from the award-winning Remington film, "Gunning the Flyways."

Remington

DU PONT